# ACM Email Room

## Participant Linux Setup – Redhat 5.0 or earlier

1. Write down all your current settings in the spaces below. You will need this information when you go home.
2. Log in as root and type in 'control-panel'.
3. Click on the Network Configuration icon and select the Routing tab. Set the default gateway device to 'eth0' and change the default gateway as given below.
4. Select the Interfaces tab and highlight 'eth0'. Click Edit and enter the IP and subnet mask numbers, also given below. Click Done. Click Save and then Activate.
5. Select the Names tab and add the ACM Nameservers. Click Save, then Quit, and then select Exit from the File menu.

| Number | Original | ACM |
|---|---|---|
| IP | ___.___.___.___ | 132.236.46.___ |
| Subnet mask | ___.___.___.___ | 255.255.255.0 |
| Default Gateway | ___.___.___.___ | 132.236.46.1 |
| Nameservers | ___.___.___.___ | 128.84.242.46 |
| | ___.___.___.___ | 128.35.82.50 |
| | ___.___.___.___ | |
| | ___.___.___.___ | |

6. At the root prompt, type 'ifdown eth0' and Enter, and then type 'ifup eth0' and Enter. Keep these settings for the duration of the conference.
7. You may now plug into the ACM net on any available cable in the email room. The room is open from 8 AM to 6:30 PM each day.